

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--------------------|------------------|---------|------------------|
| S1 | 1 | "20050005026" | US-PGPUB; USPAT | OR | ON | 2007/02/06 13:19 |
| S2 | 7 | "remote data processing system".ti. | US-PGPUB; USPAT | OR | ON | 2007/02/06 14:39 |
| S3 | 5 | "remote data processing system".ti. and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:18 |
| S4 | 50 | (US-20010029523-\$ or US-20010047422-\$ or US-20020087710-\$ or US-20020172158-\$ or US-20020176560-\$).did. or (US-6023563-\$ or US-5309437-\$ or US-5568590-\$ or US-5630021-\$ or US-5720004-\$ or US-5805072-\$ or US-5886643-\$ or US-6199113-\$ or US-5325362-\$ or US-5379440-\$ or US-5574919-\$ or US-5758083-\$ or US-5930259-\$ or US-5996021-\$ or US-6047329-\$ or US-6275937-\$ or US-6279035-\$ or US-6304912-\$ or US-6363072-\$ or US-6377577-\$ or US-6385204-\$ or US-6421321-\$ or US-6473411-\$ or US-6614795-\$ or US-6618389-\$ or US-6665705-\$). did. or (US-6721321-\$ or US-6721790-\$ or US-6721791-\$ or US-6775769-\$ or US-6785819-\$ or US-6853639-\$ or US-6879562-\$ or US-6907042-\$ or US-6925079-\$ or US-6931118-\$ or US-6947931-\$ or US-6987735-\$ or US-7024613-\$ or US-7080163-\$ or US-7082134-\$ or US-7089335-\$ or US-7107265-\$ or US-7107318-\$ or US-7120630-\$). did. | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:05 |
| S5 | 1 | S4 and (MAC "media access control") same "subnet mask" | US-PGPUB; USPAT | OR | ON | 2007/02/06 16:10 |
| S6 | 25 | host same info near3 (Mac subnet) | US-PGPUB; USPAT | OR | ON | 2007/02/06 16:11 |
| S7 | 20 | S6 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 23:11 |
| S8 | 9001 | 709/203,245.ccls. | US-PGPUB; USPAT | OR | ON | 2007/02/06 16:14 |
| S9 | 3 | MAC same encoded same "wake-up packet" | US-PGPUB; USPAT | OR | ON | 2007/02/06 17:00 |

EAST Search History

| | | | | | | |
|-----|------|---|--------------------|----|----|------------------|
| S10 | 1475 | (dhcp "dynamic host configuration protocol") same (dns "domain name server") | US-PGPUB; USPAT | OR | ON | 2007/02/06 17:01 |
| S11 | 1 | (dhcp "dynamic host configuration protocol") same (dns "domain name server") same "administration computer" | US-PGPUB; USPAT | OR | ON | 2007/02/06 17:01 |
| S12 | 75 | (dhcp "dynamic host configuration protocol") same (dns "domain name server") same administration | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:07 |
| S13 | 61 | S12 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:01 |
| S14 | 0 | S13 and "wake-up" | US-PGPUB; USPAT | OR | ON | 2007/02/06 18:27 |
| S15 | 0 | S13 and "wake-up" same packet | US-PGPUB; USPAT | OR | ON | 2007/02/06 18:27 |
| S16 | 50 | (US-20010029523-\$ or US-20010047422-\$ or US-20020087710-\$ or US-20020172158-\$ or US-20020176560-\$).did. or (US-6023563-\$ or US-5309437-\$ or US-5568590-\$ or US-5630021-\$ or US-5720004-\$ or US-5805072-\$ or US-5886643-\$ or US-6199113-\$ or US-5325362-\$ or US-5379440-\$ or US-5574919-\$ or US-5758083-\$ or US-5930259-\$ or US-5996021-\$ or US-6047329-\$ or US-6275937-\$ or US-6279035-\$ or US-6304912-\$ or US-6363072-\$ or US-6377577-\$ or US-6385204-\$ or US-6421321-\$ or US-6473411-\$ or US-6614795-\$ or US-6618389-\$ or US-6665705-\$). did. or (US-6721321-\$ or US-6721790-\$ or US-6721791-\$ or US-6775769-\$ or US-6785819-\$ or US-6853639-\$ or US-6879562-\$ or US-6907042-\$ or US-6925079-\$ or US-6931118-\$ or US-6947931-\$ or US-6987735-\$ or US-7024613-\$ or US-7080163-\$ or US-7082134-\$ or US-7089335-\$ or US-7107265-\$ or US-7107318-\$ or US-7120630-\$). did. | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:05 |
| S17 | 0 | S16 and "wake-up" same packet | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:29 |
| S18 | 1475 | (dhcp "dynamic host configuration protocol") same (dns "domain name server") | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:11 |

EAST Search History

| | | | | | | |
|-----|-----|---|------------------------------|----|----|------------------|
| S19 | 1 | S18 and wake\$up same packet | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:08 |
| S21 | 487 | S18 and "web server" | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:14 |
| S22 | 466 | S21 and address near3 (Mac IP name) | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:20 |
| S23 | 345 | S22 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:17 |
| S24 | 58 | S21 and address near3 (Mac IP name).ab. | US-PGPUB; USPAT | OR | ON | 2007/02/07 08:20 |
| S25 | 35 | S24 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:10 |
| S26 | 0 | request\$3 same "host info" near3 (IP MAC subnet name) | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:11 |
| S27 | 0 | S18 and request\$3 same "host info" | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:12 |
| S28 | 27 | S18 and request\$3 same "host information" | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:12 |
| S29 | 1 | S18 and request\$3 same "host information" near3 (IP MAC subnet name) | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:12 |
| S30 | 21 | S28 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:17 |
| S31 | 6 | S16 and remote same computer | US-PGPUB; USPAT | OR | ON | 2007/02/07 10:29 |
| S32 | 1 | "6532217".pn. | US-PGPUB; USPAT | OR | ON | 2007/02/07 12:05 |
| S33 | 1 | "6292838".pn. | US-PGPUB; USPAT | OR | ON | 2007/02/07 11:24 |
| S34 | 1 | "6728232".pn. | US-PGPUB; USPAT | OR | ON | 2007/02/07 13:08 |
| S35 | 1 | "20030115367" | US-PGPUB; USPAT | OR | ON | 2007/02/07 13:07 |
| S36 | 6 | ("5708654" "5920566" "5920699" "5926463" "6055236" "6199122").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/02/08 08:25 |
| S37 | 14 | ("6292838").URPN. | USPAT | OR | ON | 2007/02/08 08:36 |
| S38 | 1 | "5943322".pn. | USPAT | OR | ON | 2007/02/08 09:11 |
| S39 | 1 | "7046666".pn. | USPAT | OR | ON | 2007/02/08 09:13 |
| S40 | 6 | ("5420862" "5491694" "5751971" "5790541" "5790546" "6115385").PN. | USPAT | OR | ON | 2007/02/08 11:53 |
| S41 | 270 | dhcp same Mac | USPAT | OR | ON | 2007/02/08 11:53 |

EAST Search History

| | | | | | | |
|-----|-------|---|--------------------|----|----|------------------|
| S42 | 261 | S41 and (@rld<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/02/08 11:53 |
| S43 | 6 | S42 and acquire same MAC | US-PGPUB; USPAT | OR | ON | 2007/02/08 13:22 |
| S44 | 151 | S42 and (send submit\$4) same MAC | US-PGPUB; USPAT | OR | ON | 2007/02/08 13:23 |
| S45 | 9 | S42 and user near3 (send submit\$4) same MAC | US-PGPUB; USPAT | OR | ON | 2007/02/08 13:24 |
| S46 | 30 | S42 and ((user client) near3 (send submit\$4)) same MAC | US-PGPUB; USPAT | OR | ON | 2007/02/08 13:24 |
| S47 | 10189 | 709/201-203.ccls. | US-PGPUB; USPAT | OR | ON | 2007/02/08 15:13 |
| S48 | 10830 | 709/220,230,236-238,245,249.ccls. | US-PGPUB; USPAT | OR | ON | 2007/02/08 15:14 |
| S49 | 942 | 713/323.ccls. | US-PGPUB; USPAT | OR | ON | 2007/02/08 15:14 |
| S50 | 211 | S49 and wake\$up | US-PGPUB; USPAT | OR | ON | 2007/02/08 15:15 |
| S51 | 4 | S50 and S47 | US-PGPUB; USPAT | OR | ON | 2007/02/08 15:15 |
| S52 | 1 | S50 and S48 | US-PGPUB; USPAT | OR | ON | 2007/02/08 15:15 |
| S53 | 165 | MAC with subnet adj1 mask | US-PGPUB; USPAT | OR | ON | 2007/08/07 15:40 |
| S54 | 115 | S53 and (@rld<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/07 15:40 |
| S55 | 33 | S54 and "709"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2007/08/08 10:36 |
| S56 | 2 | (request\$3 router switch) with (host remote terminal target destination) adj1 (device computer) near8 map\$4 adj3 (MAC "media access control" subnet\$1mask IP internet adj1 protocol adj1 address) | US-PGPUB; USPAT | OR | ON | 2007/08/08 14:48 |
| S57 | 2089 | (NAT "network address translation") with (host client user) | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:00 |
| S58 | 3531 | (NAT "network address translation") adj1 DNS "domain name server" | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:00 |
| S59 | 51 | (NAT "network address translation") adj1 DNS "domain name server" with map\$3 near3 (IP MAC "media access control" subnet\$1mask) | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:17 |
| S60 | 38 | S59 and (@rld<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:01 |

EAST Search History

| | | | | | | |
|-----|-----|--|-----------------|----|----|------------------|
| S61 | 185 | (NAT "network address translation") with map\$3 near3 (IP MAC "media access control" subnet\$1mask) | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:24 |
| S62 | 107 | S61 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:39 |
| S63 | 39 | (NAT "network address translation") with (map\$3 translat\$3) near3 (MAC "media access control" subnet\$1mask) | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:25 |
| S64 | 30 | S63 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:25 |
| S65 | 36 | (NAT "network address translation" Gateway) with map\$3 adj3 (host MAC subnet adj1 mask) | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:40 |
| S66 | 28 | S65 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:44 |
| S67 | 778 | (request queue broadcast) with (IP adj1 address) near3 (Mac "media access control" "subnet mask") | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:43 |
| S68 | 85 | (request queue broadcast) with (IP adj1 address) near3 (Mac "media access control" "subnet mask") and (NAT "network address translation") | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:44 |
| S69 | 25 | (request queue broadcast) with (IP adj1 address) near3 (Mac "media access control" "subnet mask") same (NAT "network address translation") | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:44 |
| S70 | 17 | S69 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 16:44 |
| S71 | 30 | DHCP with map\$4 near3 (MAC "media access control" "subnet mask") | US-PGPUB; USPAT | OR | ON | 2007/08/08 23:10 |
| S72 | 24 | S71 and (@rlad<"20030703" @ad<"20030703") | US-PGPUB; USPAT | OR | ON | 2007/08/08 23:11 |